

WEST Search History for Application 10692264

Creation Date: 2008122410:24

Query	DB	Op.	Plur.	Thes.	Date
(kernel) with ((resource or transaction\$2) near (manage\$5 or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(kernel) near ((resource or transaction\$2) near (manage\$5 or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(kernel or os or operating adj system) near((resource or transaction\$2) near (manage\$5 or object))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(creat\$3 or open\$3 or commit or rollback) near transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(((kernel) with ((resource or transaction\$2) near (manage\$5 or object))) or ((kernel) near ((resource or transaction\$2) near (manage\$5 or object)))) and ((creat\$3 or open\$3 or commit or rollback) near transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(application near programming near interface or api) and (kernel or os or operating adj system) with ((resource or transaction\$2) near (manage\$5 or object))	PGPB, USPT, USOC, EPAB, JPAB,	OR			12-24-2008

	DWPI, TDBD				
(((kernel) with ((resource or transaction\$2) near (manage\$5 or object))) or ((kernel) near ((resource or transaction\$2) near (manage\$5 or object)))) and ((application near programming near interface or api) and (kernel or os or operating adj system) with ((resource or transaction\$2) near (manage\$5 or object)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(resource or manager) adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
phase near commit and ((resource or manager) adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
mask with level near access\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
handle with transaction and (mask with level near access\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and (mask with level near access\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and mask and (resource and transaction) adj object	PGPB, USPT,	OR			12-24-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
@pd<20031023 and mask and (resource and transaction) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and mask and (resource and transaction) near manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
20040216109	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
7165061.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
20050015425	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
open\$3 near transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			12-24-2008

	TDBD				
call near prepar\$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(call near prepar\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepar\$3 near complete and (call near prepar\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(open\$3 near transaction) and (call near prepar\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(open\$3 near transaction and call near prepar\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepar\$3 near resurce adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepar\$3 near resource adj manager	PGPB, USPT, USOC,	OR			12-24-2008

	EPAB, JPAB, DWPI, TDBD				
prepar\$3 with resource adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepar\$3 with resource adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
complete with prepare and (prepar\$3 with resource adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(volatile or durabl\$5) with resource adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and ((volatile or durabl\$5) with resource adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and (volatile and durabl\$5) with resource adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008

@pd<20031023 and (volatile or durabl\$5) with resource adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
(volatile or durabl\$5) with resource adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
open with transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
prepar\$3 with complete	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
(open with transaction) and (prepar\$3 with complete)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
@pd<20031023 and (open with transaction and prepar\$3 with complete)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR			12-24-2008
@pd<20031023 and creat\$3 near transaction	PGPB, USPT, USOC, EPAB,	OR			12-24-2008

	JPAB, DWPI, TDBD				
(prepare\$3 with complete) and (@pd<20031023 and creat\$3 near transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepare near (message or request)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(transaction and resource) adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(prepare near (message or request)) and ((transaction and resource) adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(api or application near interface) and (prepare near (message or request) and (transaction and resource) adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(/707/1 /707/2 /707/3 /707/4 /707/5 /707/6 /707/7 /707/8 /707/9 /707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
		OR			12-24-2008

(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(718/101 718/104 718/106).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(719/311 719/313 719/318 719/328 719/329 719/330 719/331 719/332).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203).ccls.) or ((718/101 718/104 718/106).ccls.) or ((719/311 719/313 719/318 719/328 719/329 719/330 719/331 719/332).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(api or application near interface or dll or framework) with (en\$list\$4 or (resource or transaction) near manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203).ccls. or (718/101 718/104 718/106).ccls. or (719/311 719/313 719/318 719/328 719/329 719/330 719/331 719/332).ccls.) and ((api or application near interface or dll or framework) with (en\$list\$4 or (resource or transaction) near manager))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
pre\$1prepare and ((707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10 707/200 707/201 707/202 707/203).ccls. or (718/101 718/104 718/106).ccls. or (719/311 719/313 719/318 719/328	PGPB, USPT, USOC, EPAB,	OR			12-24-2008

l719/329 l719/330 l719/331 l719/332).ccls. and (api or application near interface or dll or framework) with (en\$1list\$4 or (resource or transaction) near manager))	JPAB, DWPI, TDBD				
xa near (api or application near interface or dll or framework)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
((open and prepare) near transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
((two or 2) near (phase or face)) with commit	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(transaction and resource) adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
((two or 2) near (phase or face)) with commit) and ((transaction and resource) adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(api or application near interface) and (((two or 2) near (phase or face)) with commit and (transaction and resource) adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
		OR			12-24-2008

open near transaction and ((api or application near interface) and ((two or 2) near (phase or face)) with commit and (transaction and resource) adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(transaction or resource) adj manager with enlist\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(api or application near interface) and ((transaction or resource) adj manager with enlist\$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
JON-CAIRIAGE!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
surendra-verma	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
SURENDRA-V-G!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
MARK-ZA!	TDBD, DWPI, JPAB, EPAB,	OR			12-24-2008

	USOC, USPT, PGPB				
MARK-Z!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
"DEXTERS".IN.!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
"JAMES-JOHNSON".IN.!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
MUHUNTHAN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
STEVEN-J-MANGAN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			12-24-2008
creat\$3 near transaction and prepare near complete	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
		OR			12-24-2008

creat\$3 near transaction and prepare and resource adj manager	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
transaction and (creat\$3 near transaction and prepare and resource adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and (transaction and creat\$3 near transaction and prepare and resource adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and (creat\$3 near transaction and prepare and resource adj manager)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(new or creat\$3) with transaction\$2 adj object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
resource adj manager and ((new or creat\$3) with transaction\$2 adj object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
prepar\$3 with transaction\$2 near object	PGPB, USPT, USOC, EPAB,	OR			12-24-2008

	JPAB, DWPI, TDBD				
(acl or ((right or level) near access) or security) with transaction\$2 near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(acl or ((right or level) near access) or security) near transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(transaction or resource) adj manager and ((acl or ((right or level) near access) or security) near transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(acl or ((right or level) near access) or security) with transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(transaction or resource) adj manager and ((acl or ((right or level) near access) or security) with transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
priviledges near transaction	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
privileges near transaction		OR			12-24-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(transaction or resource) adj manager and (privileges near transaction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(operating adj system or kernel) with (transaction or resource) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
@pd<20031023 and ((operating adj system or kernel) with (transaction or resource) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
(api or interface) with (manager or enlist or transaction or resource) near object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
phase near commit and ((api or interface) with (manager or enlist or transaction or resource) near object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			12-24-2008
durable near state with resource	PGPB, USPT, USOC, EPAB,	OR			12-24-2008

	JPAB, DWPI, TDBD					
--	------------------------	--	--	--	--	--